

**EXHIBIT B**  
**CLEAN COPY OF ALL PENDING CLAIMS**

1           1. (Amended) An electronic reading device system, comprising:  
2                   an electronic reading device for use with a formatted surface having an address  
3           pattern thereon, the electronic reading device including a sensor for detecting portions of the  
4           address pattern, wherein positions of the electronic reading device relative to the formatted  
5           surface are determined based on the detected portions of the address pattern; and  
6                   a separate electronic device that includes a display screen for displaying feedback  
7           relating to the detected portions of the address pattern.

1           2.       The system of claim 1, wherein the detected portions of the address pattern  
2           correspond to information written using the electronic reading device on the formatted surface,  
3           said feedback comprising a representation of the information written using the electronic reading  
4           device.

1           3.       The system of claim 2, wherein the written information comprises handwritten  
2           text, said representation comprising text characters that correspond to the handwritten text.

1           4.     The system of claim 2, wherein the written information comprises handwritten  
2 text, said representation comprising an electronic copy of the handwritten text.

1           5.     The system of claim 1, wherein the formatted surface includes an area for  
2 requesting a display of feedback, said feedback displayed in response to a detection, by the  
3 electronic reading device, of a portion of the address pattern within said area.

1           6.     The system of claim 1, further comprising a communication link between the  
2 electronic reading device and the separate electronic device.

1           7.     The system of claim 6, wherein the communication link is selected from the group  
2 consisting of a wireless local link and a cable.

1           8.     The system of claim 1, wherein the formatted surface comprises an application  
2 interface corresponding to a specific application, said feedback displayed on the display screen  
3 comprising information relating to the specific application.

1           9.     The system of claim 8, further comprising an application server from which the  
2 information relating to the specific application is retrieved.

1           10.    The system of claim 9, wherein the information relating to the specific application  
2 is retrieved via an Internet connection.

1           11.    The system of claim 9, wherein the information relating to the specific application  
2 comprises data previously stored by a user of the electronic reading device.

1           12.    The system of claim 1, wherein the separate electronic device is selected from the  
2 group consisting of a mobile phone, a personal digital assistant, and a personal computer.

1           13.    The system of claim 1, wherein the detected portions of the address pattern  
2 correspond to a specific application, said feedback associated with the specific application.

1           14.    The system of claim 13, wherein the feedback comprises help data for the specific  
2 application.

1           15. (Amended) A method for providing electronic reading device feedback, comprising:  
2                detecting portions of an address pattern on a formatted surface with an electronic  
3 reading device, wherein positions of the electronic reading device relative to the formatted surface  
4 are determined based on the detected portions of the address pattern;  
5                sending information relating to the detected portions of the address pattern to an

6 electronic display device;

7 converting said information into feedback relating to the detected portions of the  
8 address pattern; and

9 displaying said feedback relating to the detected portions of the address pattern on  
10 the electronic display device.

1 16. The method of claim 15, wherein the address pattern corresponds to a specific  
2 application, said feedback associated with the specific application.

1 17. The method of claim 16, wherein the feedback comprises help data for the specific  
2 application.

1 18. The method of claim 16, wherein the step of converting said information into  
2 feedback further comprises the step of retrieving said feedback from a remote server.

1 19. The method of claim 16, further comprising the step of selecting a feedback area of  
2 the address pattern with the electronic reading device, said step of displaying feedback performed  
3 in response to the step of selecting.

1 20. The method of claim 15, wherein the step of sending comprises transmitting the

2 information relating to the detected portions of the address via one of a wireless local link and a  
3 cable.

1 21. The method of claim 15, wherein the detected portions of the address pattern  
2 correspond to information written using the electronic reading device, the step of converting the  
3 information into feedback further comprising the step of converting the written information to text  
4 characters, said feedback comprising the text characters.